

All Products

**Innovative Products
for Semiconductor Processes**

Vacuum wands

- Cordless portable wands
- Portable wands
- Vacuum wand sets
- Vacuum tips
- Vacuum handles
- Vacuum coil cords
- Wand holders
- Small device



Wafer transfers

- Manual wafer transfers
- Automatic wafer transfers
- SafeGuard wafer transfers
- FOUP/FOSB wafer transfer



Wafer aligners

- Automatic notch aligner
- Automatic flat aligner
- Manual notch aligner
- Manual flat aligner
- Economy flat aligner



Wafer picks


- Edge wafer picks
- Chemistry wafer picks
- Taiko® wafer picks



Pod openers

Manual & semi-automatic

- RSP150 pod openers
- RSP200 pod openers
- SMIF pod openers
- 300 mm FOUP openers




Wafer sorters

- 2- cassette sorter with OCR



Vacuum Sealers

- 1000 mm pneumatic vacuum sealer
- 600 mm pneumatic vacuum sealer
- 600 mm motor driven vacuum sealer
- 350 mm motor driven vacuum sealer



Transport bags


- 300 mm FOSB storage and shipping
- 200 mm wafer shippers
- 150/100 mm wafer shippers
- Various component or custom size available
- LDPE bags
- Desiccant bags
- Moisture Indicator cards



Process cassettes & boxes

Material:

- PP
- PTFE
- PFA
- PEEK



Wafer shipping boxes

- Wafer shipping boxes
- Vacuum formed shipping boxes
- Process boat storage boxes
- Wafer canisters
- Wafer jars



Single wafer shipping

- Clamshell-style shippers
- Coin-style shippers
- Vacuum formed shippers



Metal cassettes

- Aluminium cassettes
- Stainless steel cassettes



Wafer flex frames

- Plastic flex frames
- Metal flex frames
- Single flex frame shippers
- Multi flex frame shippers



Grinding & dicing

- Film applicator/remover
- Film frame mounters
- Flex frames
- Flex frame shippers
- Hoop rings
- Dicing tape
- Die matrix expanders
- UV curing systems



Wafer inspection & presenting

- Manual single wafer presenters
- Auto single wafer presenters
- Wafer ID escalators
- 5-wafer presenters



Cleanroom clothes

- Coveralls
- Hood bands
- Boots
- Mouth masks



Cleaning & etching

- Spin process stations
- Megasonic cleaning
- Process baths: PTFE, PVDF, PP
- Quartz baths
- Single wafer processing holders
- Table top etching system



Heaters

- Inline heater
- Grid heater
- DI water heater
- Standalone DI Water heater (incl. Helios replacement)
- Tank heater
- Heat exchangers
- Cabinet heater



Flow & pressure control

- Flow sensors
- Flow switches
- Flow meters
- Flow controllers
- Pressure sensors
- Quick connectors



Filtration

- Capsule filters
- Chemical filters
- Disposable filters
- Liquid filters
- Filter cartridges
- Membrane filters
- Water filter cartridges



Monitoring KxS

- Wet chemical concentration monitor



Process boats

- PFA, PTFE, high or low profile
- Customized solutions available



Spare parts

To extend part lifetime, reduce PM frequency, decrease qual time, ease installation, and ultimately reduce costs.

- Robot components & bearings
- Wrist assemblies
- Fabrication & consumables



Valves

- Air cylinders
- Check valves
- Needle valves
- Plug valves
- Pneumatic valves
- Solenoid switch valves
- Stop valves
- Manifold valve blocks



Tubing & Innodis fittings

- PFA tubing
- Mega lock PFA fittings
Inch-red, Metric-blue



Spin processors

Up to 450 mm

- Indeck wafer spincoater
- Tabletop spincoater
- Spincoater with megasonic cleaning



Pumps

- Membrane pumps
- Bellows pumps
- Metering pumps
- Dispense pumps
- Pump controllers
- Double diaphragm pumps




Polishing Mipox

- Edge polish system
- Edge polish tape



Polishing service Mipox

- Edge polishing
- Cleaning
- Permanent bonding
- Surface polishing
- Wafer re-sizing



Tool - refurbishment

Semitool

- SAT
- SRD
- SST



PFA & PTFE parts

- PFA pressure vessel
- PFA storage vessel
- PFA aspirator
- PFA static mixer
- PTFE wafer dippers
- Nitrogen spray guns
- DI water spray guns



Wafer test

Scrub pads

Testing Mipox

- Probe card cleaning sheets
 - BC3 type
 - PET type
 - SWE type
 - PF3 type



Diamond Scrub pads

The cutting-edge solution for maintenance in semiconductor equipment.

- 6μ, 12μ, 35μ and 80μ
Diamond size



Saesol pad conditioners

- CMP pad conditioners




Filtration

- CMP slurry filters




Dingtek CMP polishing pads

- Hard CMP polishing pads
- Soft CMP polishing pads
- Custom CMP polishing pads




Innodis slurry pumps

- Slurry pumps



Malema flow controllers

- Slurry flow controllers



Slurry mixing cabinets

- Customized solutions



Monitoring

- Inline CMP slurry monitoring KxS



Retaining rings

- Retaining rings




Spare parts

- Pasco membranes



Smart sensor CMP

- Drain flow monitoring
- Flow monitoring
- Water & chemical detection
- Motor and bearing monitoring
- In-line and non-contact flow measurement
- Real-time down-force monitoring
- Data visualization and alert notification



Coating & development

Up to 450 mm

- Tabletop spincoaters
- Indeck spincoater
- Spin process stations
- Spincoating systems
- Fume hood (PP)




Ultrasonic spray coating

- Spray coating system



Maskless lithography

- Direct laser writers - NanoWriters
- Micro μ LCD printer



Hotplates

Up to 350 mm

- Precision hotplates




Midas mask aligners

- Soft contact aligners
- Hard contact aligners
- Proximity aligners
- Lens less mask aligner




Wafer Scriber

- Carbide laser wheel
- Diamond laser wheel



UV exposure

- UV light sources



Photomask handling

- Mask pick horizontal offset
- Mask pick side grip



Reticle storage

- Nikon - Canon Stepper cartridge boxes
- Reticle storage boxes



Diffusion Furnace Parts

- Furnace parts
- Heating elements
- Insulation collars / discs
- Vestibule blocks
- Thermocouples




Atomic Layer Deposition

- ALD table top & stand-alone production tools



Layer thickness measurement

- Film characterization tool
- Mapping of thickness



Ultra-pure gas

- Ultra-pure gas filters
- In-line gas heaters



Smart sensors

- Pressure and flow monitoring
- Heating wire resistance monitoring
- Humidity and temperature monitoring
- Mechanical wear and failure monitoring
- Mass flow controller performance monitoring
- Alignment drift monitoring



SPS offices

**SPS-Germany
(Ingolstadt)**
Germany
T (49) 841 370 530

**SPS-Germany
(Dresden)**
Germany
T (49) 151 2180 7770

SPS-France
France
T (33) 4 58 17 12 83

SPS-UK
United Kingdom
T (44) 1750 725 712

SPS-America West
Damascus
U.S.A.
T (1) 503 502 5722

SPS-Asia
Singapore
T (65) 911 30 172

SPS-International
The Netherlands
T (31) 341 360 590

**SPS-Germany
(Hamburg)**
Germany
T (49) 171 26 29 173

**SPS Automation
Technology**
Bienenbüttel,
Germany

SPS Italy
Italy
T (39) 3 457 357 177

SPS-America HQ
Colorado Springs,
U.S.A.
T (1) 503 502 5722

SPS-America East-
Massachusetts
U.S.A.

SPS-Japan
Tokyo
T (81) 808 755 2098

All Brands



sales@sps-international.com
www.sps-international.com